OIPE JC138
AUG 2 3 2004
PATENT & TRADEMARK OFFICE

10

Exploitation Detection Module (1st Component) 12

INTERFACES (Optional) 18

Forensics Module (2nd Component) 14

OS Restoration Module (3rd Component) 16

Fig. 1

Fig. 2

Start 21

20

Detect Occurrence of Exploit 22

Collect Forensics Data That is Characteristic of Exploit 24

Restore OS 26

End 27

Fig. 3

START 31

launch 32

12

Load/execute/ unload kernel module (main.c). 34

File Checker (ls.pl) 36

Port Checker (bc.pl) 38

END 39

START — 40

Initialization — 41

42 — Search for hidden kernel modules

34

50 — output results ◄— Y — Found hidden modules? — 43

N

Search for hidden system call patches — 44

51 — output results ◄— Y — Found call patches? — 45

N

Search for hidden processes — 46

52 — output results ◄— Y — Found hidden processes? — 47

N

Search for hidden files — 48

49 — END

Fig.4

SECURITY SOFTWARE SYSTEM

42 Hidden Module Detection Model	Anomaly →	50 Malicious kernal module memory range is reported	→

44 System Call Table Integrity Verification Model — Anomaly → 51 Malicious kernal module memory range is reported

34

47 Hidden Process Detection Model — Anomaly → 52 Malicious process ID and name is reported

36 Hidden File Detection Model (File Checker) — Anomaly → 53 Malicious file listener is reported

38 Hidden File Detection Model (Port Checker) — Anomaly → 54 Malicious port location is reported

INTERFACES 55

Forensics Module 14

OS Restoration Module 16

10

12

Fig.5

KERNEL MODULE HIDING
Module list before removal 60

NULL → prev Module 1 next ↔ prev Module 2 next ↔ prev Module 3 next → NULL

61   62   63

Fig.6a

Module list after hacker technique for removal 60'

NULL → prev Module 1 next ↔ prev Hacker Module next ↔ prev Module 3 next → NULL

61   62   63

Fig.6b

HIDDEN KERNEL MODULE DISCOVERY MODEL

0xFFFFFFFF

P
H
Y
S
I
C
A
L

M
E
M
O
R
Y

unused memory for proper alignment

Module 4 (0x1102 bytes size) — 79

Hidden Hacker Module

— 78

Module 3 (0x1102 bytes size) — 77

— 76

Module 2 (0xc102 bytes size)

— 75
— 74

Module 1 (0x2102 bytes size) — 73
— 72

Kernel Memory — 71

0xC0100000

BEST GUESS FOR NEXT MODULE START POINT

$\sum$

previous module sizes

+

page size alignment considerations

— 70

Fig.7

USER SPACE MEMORY — 94

```
/* ps.c application */
#include <stdio.h>
...
int main (int argc, char **argv) {
    DIR *dir
    struct dirent *entry;
    dir = opendir("/proc");
    while ((entry = readdir(dir) != NULL )
    {
    ...
    }
}
```

INTERRUPT

— 90

SYSCALL Table

1	sys_exit
2	sys_fork
3	sys_read
4	sys_write
5	sys_open
6	sys_close
7	sys_waitpid
8	sys_creat
9	sys_link
10	sys_unlink

— 92

96

KERNEL SPACE MEMORY

```
/* kernel open.c */
long sys_open(const char *filename, int iflags, int mode)
{

    char *tmp;
    int fd, error;
    ...

}
```

Fig.9

Initialization — 80

Lock vmlist from reading — 81

For every vmlist element — 82

Module? — 83

N

Y

42

Make a pointer to the module — 84

Valid Module? — 85

N

Y

Hidden? — 86

N

Y → Write results to the output file — 87

Forensics Interface — 18

Restoration Interface

Unlock vmlist from reading — 88

RETURN — 89

Fig.8

Fig.10a

START — 101

Initialization — 102

Obtain address of system call table — 103

44

Check system call table — 104

END — 105

Fig.10b

Initialization — 106

for the first 50 bytes following the interrupt 80 location — 107

103

is this a call to a double word pointer? — 108

N

Y

RETURN — 109

Fig.10c

Initialization — 110

for the entire size of the syscall table — 111

out of range? — 112

N

Y

Write results to the output file — 113

104

Forensics Interface

Restoration Interface — 18

set highest and lowest values — 114

Are System Calls Patched? — 116

Y

Search modules — 115

N

RETURN — 117

Initialization — 118

while there are modules In the list — 119

115

calculate free space betwen this module and the next one — 120

does suspect region (from FIG. 10c) fall between this free space? — 121

N

Y → output results — 122

Forensics Interface

Restoration Interface

18

RETURN — 123

Fig.10d

IDENTIFIED SYSCALL ANOMALIES CAUSE BY ADORE v0.42

syscall [2]	fork	FAILED	0xf8aca650
syscall [4]	write	FAILED	0xf8aca7e8
syscall [5]	open	FAILED	0xf8acb184
syscall [6]	close	FAILED	0xf8aca898
syscall [18]	oldstat	FAILED	0xf8acabe4
syscall [37]	kill	FAILED	0xf8aca710
syscall [39]	mkdir	FAILED	0xf8aca9a0
syscall [84]	oldlstat	FAILED	0xf8acacd0
syscall [106]	stat	FAILED	0xf8acadbc
syscall [107]	lstat	FAILED	0xf8acae94
syscall [120]	clone	FAILED	0xf8aca6b0
syscall [141]	getdents	FAILED	0xf8aca368
syscall [195]	stat64	FAILED	0xf8acaf80
syscall [196]	lstat64	FAILED	0xf8acb080
syscall [220]	getdents64	FAILED	0xf8aca4dc

125

→ Highest

127

→ Lowest

```
analyze_memory ( highest, lowest) {

    if the range falls between two
    valid kernel modules then flag
    the entire memory range in
    between the two as a malicous
    kernel module.

}
```

Fig.11

HIDDEN PROCESS DISCOVERY

~~46~~

124 — **User space observation of running processes:**

(1) call_usemodelhelper(ps) (2) save results into a file

126 — **Kernel space observation of running processes:**

(1) for_each_task(p) (2) save results

(3) Any process found in kernel space, but not in user space is flagged as "HIDDEN"

128

Fig.12

HIDDEN FILE DISCOVERY

~~48~~

152 — **User space observation of existing files:**

(1) call_usemodelhelper(ls -alR) (2) save results into a file

151 — **Kernel space observation of existing files:**

(1) generate a web of directory entries for the entire storage device usin recursion (2) save results

(3) Any file found in kernel space, but not in user space is flagged as "HIDDEN"

153

Fig.15

HIDDEN PORT LISTENER DETECTION MODEL

~~38~~

180

Execute "netstat" and observe behavior

181

Generate a "trusted" list of ports available for binding

183

LISTEN: port 22 (ssh) LISTEN: port 80 (httpd)

Compare results and report anomilies

USED: port 22 (ssh) USED: port 80 (httpd) USED: port 31337

HIDDEN Listener Found: port 31337

184

Fig.18

140

142
Initialization

144
For all processes between start and stop

148
output results — Y — 146 Hidden?

Forensics Interface

Restoration Interface

18

N

149
RETURN

Fig.14

130
Initialization

131
For all processes currently listed as "executing" in user space.

132
Acquire tasklist read lock

133
For all processes currently included in the task list.

46

134
135
Output results — Y — Hidden?

Forensics Interface

Restoration Interface

18

N

140
Analyze the process IDs that are not listed in the task list for potential hiding.

136
Release the read lock for the task list

137
RETURN

Fig.13

161
Initialization

48
162
get kernel FS

163
read root directory entry

164
call process_root() to recursively list every file starting with the root directory entry

165
set user space FS

166
RETURN

Fig.16

START — 170

Initialization — 171

For every file listed in the "trusted" results file — 172

36

173 — Exist?

Y

N — output results — 174

Forensics Interface

18 — Restoration Interface

END — 175

Fig. 17

START — 190

Initialization — 191

For every possible port — 192

38

Bind? — 193

Y

N

Hidden? — 194

N

Y — output results — 195

Forensics Interface

18 — Restoration Interface

END — 196

FIG. 19

```
Script started on Sat Aug  9 15:42:00 2003
[root@localhost interrogator]# ./interrogator
Where would you like the results stored? [/tmp/interrogator/]
Check for hidden processes? [Y]
Check for hidden TCP port listeners? [Y]
Check for system call patching? [Y]
Check for hidden kernel modules? [Y]
Check for hidden files? (may take > 15 minutes) [N] Y
Running the interrogator— this may take a minute
Results are located at /tmp/interrogator/summary
View results now? [Y]

--------------------[ SUMMARY ]--------------------

NO hidden modules were found.
NO system call table modifications were found.
NO hidden processes were found.
WARNING: File size is 60133 (should be 58885): /var/log/sa/sa09
WARNING: File size is 1010871 (should be 1010003) : /var/log/cron
WARNING: File size is 597700 (should be 597264): /var/log/maillog
NO hidden files were found.
NO hidden TCP port listeners were found.
[root@localhost interrogator)# exit
Script done on Sat Aug 9 16:01:52 2003
```

200

Fig.20a

```
(root@localhost interrogator]# ./interrogator
Where would you like the results stored? [/tmp/interrogator/]
Check for hidden processes? [Y]
Check for hidden TCP port listeners? [Y]
Check for system call patching? [Y]
Check for hidden kernel modules? [Y]
Check for hidden files? (may take > 15 minutes) [N] Y
Running the interrogator— this may take a minute
Results are located at /tmp/interrogator/summary
View results now? [Y]

--------------------[ SUMMARY ]--------------------
NO hidden modules were found.
NO system call table modifications were found

WARNING: process id 13745 hidden or just exited (tb)
Launch Path: /root/code/interrogator/de·rojansans/tb
FOUND 1 Hidden process listing

HIDDEN file found: /tmp/hideme
WARNING: File size is 62629 (should be 61381): /var/log/sa/sa09
WARNING: File size is 1013693 (should be 1012816): /var/log/cron
WARMING: File size is 599450 (should be 599012): /var/log/maillog

HIDDEN TCP Port Listener found: port 2222
(root@localhost interrogator]# exit
```

202

Fig.20b

```
(root@localhost interrogator]# ./interrogator
Where would you like the results stored? [/tmp/interrogator/]
Check for hidden processes? [Y]
Check for hidden TCP port listeners? [Y]
Check for system call patching? [Y]
Check for hidden kernel modules? [Y]
Check for hidden files? (may take > 15 minutes) [N] Y
Running the interrogator. . . this may take a minute
Results are located at /tmp/interrogator/summary
View results now? [Y]


---------------------[ SUMMARY ]---------------------
WARNING suspect module found: f8a0f000 8000 bytes (adore)
Image stored at /tmp/interrogator/adore.o
FOUND 1 HIDDEN module loaded

WARNING: Deviations found in the sys_call_table
syscall[2]       FAILED   0xf8a0f650       fork
syscall[41       FAILED   0xf8a0f7e8       write
syscall[5]       FAILED   0xf8a10184       open
syscall[6]       FAILED   0xf8a0f898       close
syscall[18]      FAILED   0xf8a0fbe4       oldstat
syscall[37]      FAILED   0xf8a0f710       kill
syscall[39]      FAILED   0xf8a0f9a0       mkdir
syscall[84]      FAILED   0xf8a0fcd0       oldlstat
syscall[106]     FAILED   0xfSa0fdbc       stat
syscall[107]     FAILED   0xf8a0fe94       lstat
syscall[120]     FAILED   0xf8a0f6b0       clone
syscall[141]     FAILED   0xf8a0f368       getdents
syscall[195]     FAILED   0xf8a0ff80       stat64
syscall[196]     FAILED   0xf8a10080       lstat64
syscall[220]     FAILED   0xf8a0f4dc       getdents64
Suspect module located (0xf89da6d8 - 0xf8a12000)
FOUND 15 Modified syscall table functions


WARNING: Found process id 836 removed from the task_queue.
Launch Path: /root/code/interrogator/demo/trojans/test
WARNING: process id 13745 hidden or just exited (tb)
Launch Path: /root/code/interrogator/demo/trojans/tb
FOUND 2 Hidden process listings

HIDDEN File found:  /mp/hideme
WARNING: File size is 2336990 (should be 2335392): /var/log/messages

HIDDEN TCP Port Listener found: port 111
HIDDEN TCP Port Listener found: port 139
HIDDEN TCP Port Listener found: port 2222
HIDDEN TCP Port Listener found: port 6000
HIDDEN TCP Port Listener found: port 32768
HIDDEN TCP Port Listener found: port 32769

[root@localhost interrogator]# exit
```

204

Fig.20c

```
[root@localhost interrogator]# ./interrogator
Where would you like the results stored? [/tmp/interrogator/]
Check for hidden processes? [Y]
Check for hidden TCP port listeners? [Y]
Check for system call patching? [Y]
Check for hidden kernel modules? [Y]
Check for hidden files? (may take > 15 minutes) [N] Y
Running the interrogator... this may take a minute
Results are located at /tmp/interrogator/summary
View results now? [Y]


---------------------[ SUMMARY ]---------------------
WARNING suspect module found: f8a10000 184700 bytes (homegrown)
FOUND 1 HIDDEN module loaded

WARNING: Deviations found in the sys_call_table
syscall[3]       FAILED   0xf8a11494       read
syscall[51       FAILED   0xf8a11020       open
syscall[11]      FAILED   0xf8a10ebc       execve
syscall[13]      FAILED   0xf8a118a0       time
syscall[78]      FAILED   0xf8a1183c       gettimeofday
syscall[141]     FAILED   0xf8a11544       getdents
syscall[220]     FAILED   0xf8a116c0       getdents64

Suspect module located (0xf89db6d8 - 0xf8a3f000)
FOUND 7 Modified syscall table functions

WARNING: process id 1584 hidden or just exited (tb)
Launch Path: /root/code/interrogator/demo/trojans/tb
FOUND 1 Hidden process listing

HIDDEN File found: /tmp/hideme
WARNING: File size is 1021523 (should be 1020648): /var/log/cron
WARNING: File size is 603820 (should be 603384): /var/log/maillog

HIDDEN TCP Port Listener found: port 2222
[root@localhost interrogator]# exit
```

206

Fig.20d

210 — START

212 — forensics

14

214 — Load/execute/ unload kernel module (main.c).

216 — END

Fig. 21

233 — Lock tasklist for writing

234 — For all processes

235 — Exclude?

Y

N

221

236 — Freeze

237 — Unlock tasklist for writing

238 — RETURN

Fig. 23

222

240 — Inialization

242 — Success?

246 — RETURN

N

Y

244 — Remount file system as RD_ONLY

Fig. 24

START — 220

221 — Stop Processes

222 — Remount Hard Drive — 214

231 — END ← N — success? — 223

Y

224 — Begin Reporting

225 — Collect Modules

226 — Locate System Call Table

227 — Copy System Call Table Addresses

213 — Copy Dynamic Memory

228 — Copy Kernel

229 — Copy Process Binaries

Halt CPU

230

Fig.22a

Initialization — 250

251 — Write out report data

252 — Lock vmlist from reading

253 — For every vmlist element — 225

254 — Module?

N

Y

255 — Make a pointer to the module

256 — Valid Module?

N

Y

257 — Store memory range

258 — Lock vmlist from reading

259 — RETURN

Fig.25a

257

Initialization — 260

For all addresses between start and stop — 262

Output — 264

266

RETURN

Fig.26

270

Initialization

227

For all system calls — 272

Output — 274

276

RETURN

Fig.27a

Initialization

213

For all "zones" of dynamic memory — 281

Determine start and stop points — 283

For all addresses between start and stop — 285

Output — 287

RETURN — 289

Fig.28a

228

Initialization

282

For all addresses between 0xC0100000 - the value of _end

284

Output

RETURN

Fig.28c

Interrogator Live-Memory Forensics - Netscape

207

Interrogator Live-Memory Forensics

209

Running Proceses
Loadable Kernel Modules
System Call Table
Raw Kernel Memory (0xc000000 . 0xc03d1b80)
Raw Dynamic Memory

Document Done (0.453 sec)

Fig.22b

Loadable Kernel Modules - Netscape

213 215 217 219 211

ide ed	33608	0	0xd08e6000 - 0xd08ee348
vmhgfs	37228	4	0xd08e0000 - 0xd08f916c
ip tables	14936	2	0xd08e0000 - 0xd08fea58
iptable filter	2412	1	0xd0900000 - 0xd090096c
nls iso8859-1	3516	1	0xd0902000 - 0xd0902dbc
pcnet32	17856	1	0xd0906000 - 0xd090a5c0
ipt REJECT	3736	6	0xd090e000 - 0xd090ee98
autofs	13348	0	0xd0910000 - 0xd0913424
soundcore	6532	0	0xd0970000 - 0xd0971984
sr mod	18136	0	0xd0995000 - 0xd09996d8
usb storage	62000	1	0xd09ee000 - 0xd09dd230
fat	38712	0	0xd09df000 - 0xd09e8738
vfat	13084	1	0xd09ea000 - 0xd09ed31c
nls cp437	5116	1	0xd09ef000 - 0xd09f03fc
adore	7968	0	0xd09f2000 - 0xd09f3f20

241

Document Done (0.25 sec)

Fig.25b

261

System Call Table

System Call	Address	NAME
Syscall[1]	0xc01·1e1d0	exit
Syscall[2]	0xd09f2650	fork
Syscall[3]	0xc013fb70	read
Syscall[4]	0xd09f27e0	write
Syscall[5]	0xd09f3184	open
Syscall[6]	0xd09f2898	close
Syscall[7]	0xc011e560	waitpad
Syscall[8]	0xc013f180	creat
Syscall[9]	0xc014cb10	link
Syscall[10]	0xc015e011	...

263

Document Done (0.25 sec)

Fig.27b

265

Kernel Memory

Zone	Begin	End
DMA	0xc1000030	0xc1038030
Normal	0xc1070030	0xc13b8030
Highmem	0x0	0x0
Dynamic	0xd0800000	0xd0900000

Document Done (0.063 sec)

Fig.28b

229

290 Initialization

291 For all processes

292 Get task — N

293 Collect process image(s)

294 Success? — N

295 Collect additional process info

296 Success? — N

297 RETURN

Fig.29a

293

2900 Initialization

2902 Valid pointer? — N

2909 RETURN

2904 For the entire size of the process image

2906 Read

2908 Write

Fig.29b

2910

Initialization

Valid pointer?

RETURN ← N

Y

2912

For the entire fd of the process image

Read

Write

Fig.29c

2914

Initialization

2916

Open file?

RETURN ← N

Y

2918

For the entire file /proc/PID/env

Read

Write

Fig.29d

2920

Initialization

2922

Open file?

RETURN ← N

Y

2924

For the entire file /proc/PID/map

Read

Write

Fig.29e

2926

Initialization

Open file?

RETURN ← N

Y

2928

For the entire file /proc/PID/mount

Read

Write

Fig.29f

2930

Initialization

Open file? — N → RETURN

Y

2932

For the entire file /proc/PID/status

Read

Write

Fig.29g

2934

Initialization

RETURN ← N — Open file?

Y

2936

For the entire file /proc/PID/map

Read

Write

Fig.29h

```
Loadable Kernel Modules - Netscape                                    [_][□][X]
```

Running Process Listing

Process	Proc Image	Main Image	File Descriptors	Environment	Mapping	Command	Mounts	Status
init	1	1	0	env	map	command	mount	status
vinware-guestd	327	327	4	env	map	command	mount	status
dhcbent	529	529	3	env	map	command	mount	status
syslogd	582	582	7	env	map	command	mount	status
klogd	586	586	2	env	map	command	mount	status
postmap	603	603	5	env	map	command	mount	status
rpc.statd	622	622	7	env	map	command	mount	status
apend	703	703	2	env	map	command	mount	status
sshd	741	741	4	env	map	command	mount	status
xinetd	755	755	6	env	map	command	mount	status
sendmail	778	778	5	env	map	command	mount	status
sendmail	788	788	4	env	map	command	mount	status
gpm	798	798	2	env	map	command	mount	status
crond	807	807	5	env	map	command	mount	status
xfs	841	841	6	env	map	command	mount	status
atd	859	859	4	env	map	command	mount	status
login	868	868	0	env	map	command	mount	status

```
Document Done (0.25 sec)
```

267

Fig.29i

269

```
total 13696
drwxr-xr-x    2  root      4096    Jan  5   19:41 .
drwxr-xr-x   11  root      4096    Jan  5   22:26 ..
-rwxr-xr-x    1  root     33960    Jan  5   19:40 1.exe
-rwxr-xr-x    1  root     33960    Jan  5   19:40 1.mem_exe
-rwxr-xr-x    1  root    103165    Jan  5   19:40 327.exe
-rwxr-xr-x    1  root    103165    Jan  5   19:40 327.mem_exe
-rwxr-xr-x    1  root    390950    Jan  5   19:40 529.exe
-rwxr-xr-x    1  root    390950    Jan  5   19:40 529.mem_exe
-rwxr-xr-x    1  root     33635    Jan  5   19:40 582.exe
-rwxr-xr-x    1  root     33635    Jan  5   19:40 582.mem_exe
-rwxr-xr-x    1  root     28571    Jan  5   19:40 586.exe
-rwxr-xr-x    1  root     28571    Jan  5   19:40 586.mem_exe
-rwxr-xr-x    1  root     40144    Jan  5   19:40 603.exe
-rwxr-xr-x    1  root     38147    Jan  5   19:40 603.mem_exe
```

Fig.30a

```
fd:  0   READ-WRITE    /socket:/ (1103)
fd:  1   WRITE-ONLY    /var/log/messages
fd:  2   WRITE-ONLY    /var/log/secure
fd:  3   WRITE-ONLY    /var/log/maillog
fd:  4   WRITE-ONLY    /var/log/cron
fd:  5   WRITE-ONLY    /var/log/spooler
fd:  6   WRITE-ONLY    /var/log/boot.log
```

271

Fig.30b

```
SSH_AGENT_PID=4606
HOSTNAME=string-1.internal.vlan.iwc.sytexinc.com
PVM_RSH=/usr/bin/rsh
SHELL=/bin/bash
TERM=xterm
HISTSIZE=1000
GTK_RC_FILES=/etc/gtc/gtkc:/root//gtkrc-1.2-gnome2
WINDOWID=27270368QTDIR=/usr/lib/qt-3.1
USER=root
LS_COLORS=
PVM_ROOT=/usr/share/pvm3
SSH_AUTH_SOCK=/tmp/sh=XX3Bs0yB/agent.4542
SESSION_MANAGER=local/sring-1.internal.vlan.iwc.sytexinc.com:/tmp/.ICE-
unix/4542
USERNAME=root
MAIL=/var/spool/mail/root
PATH=/usr/kerberos/sbin:/usr/kerberos/bin:/usr/local/sbin:/usr/local/bin:/sbin
:/bin:/usr/sbin:/usr/bin:/usr/X11R6/bin:/root/bin:usr/local/netscape
INPUTRC=/etc/inputrc
PWD=/root
XMODIFIERS=@im-none
LANG=en_US.UTF-8
LAMHELPFILE=/etc/lam/lam-helpfile
GDMSESSION=Default
SH_ASKPASS=/usr/libexec/openssh/gnome-ssh-askpass
HOME=/root
SHLVL=2X
PVM_ROOT=/usr/share/pvm3/xpvm
GNOME_DESKTOP_SESSION_ID=Default
BASH_ENV=/root/.bashrc
LOGNAME=root
LESSOPEN=|/usr/bin/lesspipe.sh %s
DISPLAY=:0.0G
BROKEN_FILENAMES=1
COLORTERM=gnome-terminal
XAUTHORITY=/root/.Xauthority_=/usr/bin/ssh
```

Fig.30c

```
rootfs  /  rootfs   rw  0  0
/dev/root / ext3    ro  0  0
/proc /proc  proc   rw  0  0
usbdevfs /proc/bus/usb  usbdevfs  rw  0  0
/dev/sdal /boot ext3 rw 0  0
none /dev/pts devpts rw 0  0
none /dev/shm tmpfs  rw 0  0
none /mnt/hgfs vmware-hgfs  rw,nosuid,nodev  0  0
/dev/sdbl /mnt  vfat rw 0  0
```

Fig.30d

```
Name:      vmware-guestd
State:     R  (running)
Tgid:      327
Pid:       327
PPid:      1
TracePid:     0
Uid:          0    0    0    0
Gid:          0    0    0    0
FDSize:    32
Groups:
VmSize:      1424 kb
VmLck:          0kb
VmRSS:        444 kb
VmData:        48 kb
VmStk:          8 kb
VmExe:         84 kb
VmLib:       1252 kb
SigPnd:  0000000000000000
SigBlk:  0000000000000000
SigIgn:  8000000000000000
SigCgt:  0000000000004a07
CapIng:  0000000000000000
CapPrm:  00000000ffffffeff
CapEff:  00000000ffffffeff
```

Fig.30e

16

START —— 310

↓

recover —— 312

↓

Load/execute/
unload kernel
module
(main.c). —— 314

316 — END

Fig.31

350

330 — Initialization

↓

332 — For all the symbols
in the kernel table

↓

336 — Patch the
address ← Y —— 334 — system call
match?

↓ N

338 — Loop End

339 — RETURN

Fig.33

340 — Initialization

↓

342 — Acquire task
write lock

351

↓

344 — Terminate the
process

↓

346 — Release the write
lock for the task

↓

RETURN —— 348

Fig.34

353 — Gather
nameidata

352

↓

354 — Locate the
directory entry

↓

Get directory
entry —— 356

↓

Remove the
file —— 358

↓

RETURN —— 359

Fig.35

Fig. 32

```
Script started on Sun Jan 11 10:18:52 2004
(root@local.host recovery)# ./recovery
Terminate hidden processes? [Y]
Recover system call table?  [Y]
Remove hidden files [N]  Y
Results are located at /tmp/interrogator/summary
View results now?  [Y]

-------------------[ SUMMARY ]----------------------------
NO system call table modifications were found
NO hidden proceses were found
(root@local.host recovery)# exit
Script done on Sun Jan 11 10:19:03 2004
```

_360_

Fig.36a

```
Script started on Sun Jan 11 10:31:02 2004
(root@local.host adore)# ./startadore
Warning: loading cleaner.o will taint the kernel: no license
See http://www.tux.org/lkml/#export-tainted for information about tainted
modules
Module cleaner loaded, with warnings

(root@localhost adore)# /tmp/test
(root@localhost adore)# ps -ef |grep test
root      1302 1276 0 10:35 pts/3     00:00:00 /tmp/test
root      1304 1043 0 10:35 pts/1     00:00:00 grep test

(root@localhost adore)# ./ava i 1302
Checking for adore  0.12 or higher ...
Adore 0.42 installed. Good luck.
Made PID 1302 invisible.

(root@localhost adore)# ./ava h /tmp/test
Checking for adore  0.12 or higher ...
Adore 0.42 installed. Good luck.
File '/tmp/test' hided.

(root@localhost adore)# ls /tmp
ssh-XXAbSIW
ssh-XXEZXD3

(root@localhost adore)# ps -ef |grep test
(root@localhost adore)# exit
Script done on Sun Jan 11 10:35:40 2004
```

_361_

Fig.36b

```
Script started on Sun Jan 11 10:52:37 2004
(root@local.host recovery)# ./recovery
Terminate hidden processes? [Y]
Recover system call table?  [Y]
Remove hidden files [N]. Y
Results are located at /tmp/interrogator/summary
View results now?  [Y]


------------------[ SUMMARY ]--------------------------
WARNING: process id 1302 hidden or just exited (test)
Launch Path:  /tmp/test
TERMINATED 1 Hidden process listing
(root@local.host recovery)# exit
Script done on Sun Jan 11 10:54:26 2004
```

362

Fig.36c


```
Script started on Sun Jan 11 10:35:21 2004
(root@local.host recovery)#  /tmp/test
Running  1
Running  2
Running  3
Running  4
Running  5
Running  6
Running  7
Hangup
Script done on Sun Jan 11 10:55:12 2004
```

363

Fig.36d

```
Script started on Sun Jan 11 10:57:09 2004
[root@localhost recovery]# ls /tmp
ssh-XXAbS7W
ssh-XXB2XD3

[root@localhost recovery]# sum /tmp/test
03965    12
[root@localhost recovery]# ./recover
Terminate hidden processes? [Y] N
Recover system call table? [Y] N
Delete hidden files? [N] Y
Results are located at /tmp/interrogator/summary
View results now? [Y]
----------------------[ SUMMARY ]----------------------

REMOVED /tmp/test

(root@localhost recovery]# ls /tmp
ssh-XXAbs7W
ssh-XXEZXD3

{root@localhost recovery]# sum /tmp/test
sum: /tmp/test: No such file or directory

root@localhost recovery]# exit
Script done on Sun Jan 11 10:57:47 2004
```

364

Fig.36e

```
Script started on Sun Jan 11 10:57:57 2004
[root@localhost recovery] # ./recover
Terminate hidden processes? [Y] N
Recover system call table? [Y]
Delete hidden files? [N] N
Results are located at /tmp/interrogator/summary

View results now? [Y]

--------------------[ SUMMARY ]--------------------

WARNING suspect module found: d09cb000 7968 bytes (adore)
FOUND 1 HIDDEN module loaded

WARNING: Deviations found in the sys_call_table
syscall[2]    FAILED  Oxd09cb650      fork
syscall[4]    FAILED  Oxd09cb7e8      write
syscall[5]    FAILED  Oxd09cc184      open
syscall[6]    FAILED  Oxd09cb898      close           365
syscall[18]   FAILED  Oxd09cbbe4      stat
syscall[37]   FAILED  Oxd09cb710      kill
syscall[39]   FAILED  Oxd09cb9a0      mkdir
syscall[84]   FAILED  Oxd09cbcd0      Istat
syscall[106] FAILED   Oxd09cbdbc      stat
syscall[107] FAILED   Oxd09cbe94      Istat
syscall[120] FAILED   Oxd09cb6b0      clone
syscall[141] FAILED   Oxd09cb368      getdents
syscall[195] FAILED   Oxd09cbf80      stat64
syscall[196] FAILED   Oxd09cc080      lstat64
syscall[220] FAILED   Oxd09cb4dc      getdents64
RECOVERED 15 Modified syscall table functions

[root@localhost recovery]# ./recover
Terminate hidden processes? [Y] N
Recover system call table? [Y]
Delete hidden files? [N] N
Results are located at /tmp/interrogator/summary
View results now? [Y]
--------------------[ SUMMARY ]--------------------
NO system call table modifications were found.
```

Fig.36f

```
Script started on Sun Jan 11 11:31:47 2004
[root@localhost adore]# ps -ef |grep test
root    1284 1258 0 11:31 pts/1    00:00:00 /tmp/test

[root@localhost adore]# ls /tmp
ssh-XXAbS7W
ssh-XXEZXD3
test

[root@localhost adore]# ./startadore
Warning: loading cleaner.o will taint the kernel: no license
See http://www.tux.org/lkml/#export-tainted for information about tainted
modules
Module cleaner loaded, with warnings

[root@localhost adore]# ./ava i 1284
Checking for adore  0.12 or higher ...
Adore 0.42 installed. Good luck.
Made PID 1284 invisible.

[root@localhost adore]# ./ava h /tmp/test
Checking for adore  0.12 or higher ...
Adore 0.42 installed. Good luck.
File '/tmp/test' hided.

(root@localhost adore]# ps -ef |grep test
(root@localhost adore]# ls /tmp
ssh-XXAbS7W
ssh-XXEZXD3

[root@localhost adore]# cd ../interrogator/recovery
[root@localhost recovery]# ./recover
Terminate hidden processes? [Y] N
Recover system call table? [Y] Y
Delete hidden files? [N] N
Results are located at /tmp/interrogator/summary
View results now? [Y]
--------------------[ SUMMARY ]--------------------
WARNING suspect module found: d09cb000 7968 bytes (adore)
FOUND 1 HIDDEN module loaded

WARNING: Deviations found in the sys_call_table
syscall[2]      FAILED  Oxd09cb650      fork
syscall[4]      FAILED  Oxd09cb7e8      write
syscall[5]      FAILED  Oxd09cc184      open
syscall[6]      FAILED  Oxd09cb898      close
syscall[18]     FAILED  Oxd09cbbe4      stat
syscall[37]     FAILED  Oxd09cb710      kill
syscall[39]     FAILED  Oxd09cb9a0      mkdir
syscall[84]     FAILED  Oxd09cbcd0      Istat
syscall[106]    FAILED  Oxd09cbdbc      stat
syscall[107]    FAILED  Oxd09cbe94      Istat
syscall[120]    FAILED  Oxd09cb6b0      clone
syscall[141]   ·FAILED  Oxd09cb368      getdents
syscall[195]    FAILED  Oxd09cbf80      stat64
syscall[196]    FAILED  Oxd09cc080      lstat64
syscall[220]    FAILED  Oxd09cb4dc      getdents64
RECOVERED 15 Modified syscall table functions

[root@localhost recovery]# ps -ef |grep test
root    1284 1258 0 11:31 pts/1    00:00:00 /tmp/test
root    1345 1288 0 11:33 pts/2    00:00:00 grep test

[root@localhost recovery]# ls /tmp
ssh-XXAbS7W
ssh-XXS2XD3
test

[root@localhost recovery]# exit

Script done on Sun Jan 11 11:33:21 2004
```

366

Fig.36g